

Cable Structure


Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 65\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$




SHENZHEN OPTICO COMMUNICATION CO., LTD.

Model	STAPC-STAPC SM G657A2 DX Fiber Patchcord 2.0/3.0mm Yellow LSZH CPR-Dca Cable					OP-DX-STA-FP-2.0/3.0-SM			
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
							APPROVED	STEVEN Zhang	DATE




Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 55\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$




SHENZHEN OPTICO COMMUNICATION CO., LTD.									
Model	STUPC-STUPC SM G657A2 DX Fiber Patchcord 2.0/3.0mm Yellow LSZH CPR-Dca Cable	OP-DX-STU-FP-2.0/3.0-SM							
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
							APPROVED	STEVEN Zhang	DATE





Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



Cable Structure



SHENZHEN OPTICO COMMUNICATION CO., LTD.									
Model	STUPC-STUPC OM1/2 G657A2 DX Fiber Patchcord 2.0/3.0mm Orange LSZH CPR-Dca Cable	OP-DX-STU-FP-2.0/3.0-M1/2							
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
							APPROVED	STEVEN Zhang	DATE





Cable Structure

Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	STUPC-STUPC OM3/4 DX Fiber Patchcord 2.0/3.0mm Aqua LSZH CPR-Dca Cable						OP-DX-STU-FP-2.0/3.0-M3/4		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
							APPROVED	STEVEN Zhang	DATE



Cable Structure

Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: Multi-mode $\geq 35\text{dB}$; Single-mode $\geq 55\text{dB}$.
- 3.Operation Environment: $-20\sim+70^{\circ}\text{C}$
- 4.Storage Environment: $-0\sim+60^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	STUPC-STUP 2F Fiber Patchcord 3.0mm LSZH CPR-Dca Cable						OP-2F-STU-ARFP-3.0		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
							APPROVED	STEVEN Zhang	DATE